

SEQUENCE LISTING

<110> Song, Hee-Sook
 Roche, Christina
 Morra, Marc
 Dammann, Christian
 Jensen, Timothy
 Dobson, Alleson

<120> TRANSGENIC EXPRESSION CONSTRUCTS FOR VEGETATIVE PLANT TISSUE
 SPECIFIC EXPRESSION OF NUCLEIC ACIDS

<130> 13987-00021-US

<150> PCT/EP2005/002052
 <151> 2005-02-26

<150> US 60/548911
 <151> 2004-03-01

<150> US 60/591452
 <151> 2004-07-27

<160> 19

<170> PatentIn version 3.3

<210> 1
 <211> 863
 <212> DNA
 <213> Pisum sativum

<220>
 <221> promoter
 <222> (1)..(863)
 <223> promoter region of ptxA gene including 5'-untranslated region

<220>
 <221> misc_feature
 <222> (300)..(583)
 <223> potential core region of the promoter comprising clusters of
 promoter elements

<220>
 <221> TATA_signal
 <222> (549)..(554)
 <223> TATA signal

<220>
 <221> 5'UTR
 <222> (584)..(863)
 <223> 5' untranslated region

<400> 1
 gcaatttttt gtgaagctga gggaggattg gattttacac ctattcaaaa gtcattcaaa 60
 gtttgtcct ccattcaagg atgaatgtag atttttcaag catcaaacac aagaatcact 120

agcataacat	gctttgaaac	ccacacactt	aaattaatgt	taggaatatc	aaatccaata	180
taaaatcata	gttgtcaatt	acataactcaa	tcaagtcctt	ttcttttacc	caataaacat	240
caacatattg	cttcttccat	taagcatata	aacatcaaag	tctaaaacta	gcaaaatgtt	300
gttttttaga	tgacacattt	catacatagt	ttaaaagata	cttgattcga	ttacaaaaag	360
aaattaccaa	tagtttagca	caaagtctaa	agcataatta	aagcatcaca	tgtgcagatt	420
tatgaaaaaa	agattaagat	tgcccccttc	atcacgggtc	gaataatagc	actacttgtc	480
actacatggt	aaaaaaatgt	cctctagtag	atcaaacctt	ttccattgat	tcccccttgc	540
catgaaaaaa	ataaacaaa	tcttaagaca	caaaaaaatg	gccccacatc	cttttttctg	600
gcctagtttg	tttgaattca	ttctaactct	tgaatatgta	acgaggccca	ctaaaaatca	660
atcaatgatt	taacataaaa	aatgaatagt	ttaatcccaa	tttgctgcaa	catgggtccg	720
gaatatgact	cacgagaaa	atatatcaaa	atatcaaaat	ttcatagttt	ttttcaccat	780
ataaacctca	tcactcattc	tattttttta	agtgcaaagc	ttcatagtag	tgagcacaca	840
cattacacta	aaatcttcga	aac				863

<210> 2

<211> 1380

<212> DNA

<213> Glycine max

<220>

<221> promoter

<222> (1)..(1380)

<223> promoter region of SbHRGP3 gene including 5' untranslated region

<220>

<221> misc_feature

<222> (800)..(1179)

<223> potential core region of the promoter comprising clusters of promoter elements

<220>

<221> TATA_signal

<222> (1147)..(1152)

<223> TATA signal

<220>

<221> 5'UTR

<222> (1180)..(1380)

<223> potential 5' UTR

<400> 2

tagaaagctt	ttcaacaatc	atgcccattg	caagtgtaaa	acagggtttac	ctctcttaaa	60
taaccgtatt	aaaatgctga	atgatgtata	tatgtgggtt	caaattacat	aatttgtaag	120
tatgttacac	attgtataaa	tatgttttag	agaaaaatgt	aaacttatat	gtctaaagtt	180
ataaaaagaaa	catgtccaac	acatttcagt	taagatttaa	atagtataaa	ttaaaaatta	240
tcgatgatga	caaaaaattg	taaatataat	tcatttttaa	aaaagttaag	aaattgaaaa	300
aggaaatatt	gagaaaaaaa	tatgtcgatt	atatatatgt	gtgagctgag	tgaatatata	360
tgtatatttt	atttttgact	gaatatatgt	gtgtatagac	aataatgcgc	agaatgccga	420
tcgatgaatt	gtttactgca	tttccaaata	tgtgtgcata	agcgttcac	atgtcaccca	480
tgttgtaatt	agtttcttcc	ctggatgaat	tactaagaaa	cagattgatt	gatagtacta	540
tattaaatta	tgtagcttta	catgtcagga	aatgtagatt	gcagtattat	gtaatgtaat	600
taataggaag	tcacagacaa	tttgaagaca	atttcttttag	cttacctatc	tcatgccaca	660
attatgtact	tacgacagta	aaatgtttaa	aagcaaaaaa	aagaaagaag	aagaagaagt	720
aataaatgga	attatataga	atgtactctt	tgtcttcac	tgccctataa	ttcctgcagc	780
agccaaagca	taatagcatg	caatatgcac	atattcgttt	taggctttta	gcctccacga	840
tctgttaatt	gaaagtga	agtaagagat	atgaagtcca	ttatggcagc	catgggtccc	900
gggaagcact	agaagatatg	aaatgacata	aaaggtcacc	atgcataatg	ctttaaatgc	960

```

ttgctataga atcaaaaaat gaagagatgt gacaaattgt tacatctaata acgcaataat 1020
ttgacaaaaga cgactatgcg tttatatatt tatttttaatt agttggcgtc tcttattata 1080
aagaaaaataa gggcagtgct aacattttcca ggcaactagt tagttatttt attttcttgt 1140
ttataattat ttccatatag ctagctgtct ctatctaatac caaatccgct ttccacaacc 1200
aacttggctcg cattgggtcca aaaaactcaa tatcaatatt ttcgaaatag ttttagcatt 1260
gttttaggaag agaattgtaa gagataaaaat ctaagtactc cacctaccaa gataaaaatag 1320
ttggataaat gggtaaaaaa agttgtataa agggcaacac tacctctcct aatggcagta 1380

```

```

<210> 3
<211> 26
<212> DNA
<213> Artificial

```

```

<220>
<223> Oligonucleotide primer ptxA5'

```

```

<400> 3
ggcgcgcccg caattttttg tgaagc 26

```

```

<210> 4
<211> 25
<212> DNA
<213> Artificial

```

```

<220>
<223> Oligonucleotide primer ptxA3'

```

```

<400> 4
tctagataag tttcgaagat ttttag 25

```

```

<210> 5
<211> 29
<212> DNA
<213> Artificial

```

```

<220>
<223> Oligonucleotide primer SbHRGP3-5'

```

```

<400> 5
tctagataga agcttttcaa caatcatgc 29

```

```

<210> 6
<211> 24
<212> DNA
<213> Artificial

```

```

<220>
<223> Oligonucleotide primer SbHRGP3-3'

```

```

<400> 6
agatcttact gccattagga gagg 24

```

```

<210> 7
<211> 1381
<212> DNA
<213> Glycine max

```

<220>
 <221> promoter
 <222> (1)..(1368)
 <223> promoter

<220>
 <221> misc_feature
 <222> (801)..(1178)
 <223> potential core region of promoter

<220>
 <221> TATA_signal
 <222> (1146)..(1151)
 <223> TATA signal

<220>
 <221> 5'UTR
 <222> (1369)..(1381)
 <223> 5' untranslated region

<400> 7
 aagctttttca acaatcatgc ccatgtcaag tgtaaaacag gtttacctct cttaaataac 60
 cgtattaaaa tgctgaatga tgtatatatg tgggttcaaa ttacataatt tgtaagtatg 120
 ttacacattg tataaatatg ttttagagaa aaatgtaaac ttatatgtct aaagttataa 180
 aagaaacatg tccaacacat ttcagtttaag atttaaatag tataattaaa aattatcgat 240
 gatgacaaaa aattgtaaat ataattcatt ttaaaaaaag ttaagaaatt gaaaaaggaa 300
 atatcgagaa aaaaatatgt cgattatata tatgtgtgag ctgagtgaat atatatgtat 360
 attttatttt tgactgaata tatgtgtgta tagacaataa tgcgcagaat gccgatcgat 420
 gaattgttta ctgcatttcc aaatatgtgt gcataagcgt tccacatgtc acccatgttg 480
 taattagttt cttccctgga tgaattacta agaaacagat tgattgatag tactatatta 540
 aattatgtag ctttacatgt caggaaaatg tagttgcagt attatgtaat gtaattaata 600
 ggaagtcaca gacaatttga agacaatttc tttagcttac ctatctcatg ccacaattat 660
 gtacttacga cagtaaaatg tttaaaagca aaagcaaaaa aaagaaagaa gaagaagaag 720
 taataaatgg aattatatag aatgtactct ttgtcttcat ctgccctata attcctgcag 780
 cagccaaagc ataatagcat gcaatatgca catattcgtt ttaggctttt agctccacga 840
 tctgttaatg gaaagtgaag agtaagagat atgaagttca ttatggcagc catggtccca 900
 gggaagcact agaagatatg aaatgactaa aaggtcacca tgcataatgc tttaaatgct 960
 tgctatagaa tcaaaaaatg aagagatgtg acaaattggt acatctaata cgcaataatt 1020
 tgacaaagac gactatgcgt ttatatattt attttaatta gttggcgtct cttattataa 1080
 agaaaataag ggcagtgatc acatttccag gcaactagtt agttatttta ttttcttggt 1140
 tataattatt tccatatagc tagctgtctc tatctaatac aaatccgcgt tccacaacca 1200
 acttgggtcca aaaaactcaa tatcaatatt ttcaaaatag ttttagcatt gtttaggaag 1260
 agaattgtaa gagataaaat ctaagtactc cacctaccaa gataaaatag ttggataaat 1320
 gggtaaaaaa gttgtataaa gggcaacact acctctccta atggcagtac caaaacccaa 1380
 g 1381

<210> 8
 <211> 1388
 <212> DNA
 <213> Glycine max

<220>
 <221> promoter
 <222> (1)..(1175)
 <223> potential promoter region

<220>
 <221> misc_feature
 <222> (796)..(1175)
 <223> potential core region of promoter

<220>
 <221> TATA_signal
 <222> (1143)..(1148)
 <223> TATA signal

<220>
 <221> 5'UTR
 <222> (1176)..(1388)
 <223> 5' untranslated region

<400> 8
 aagctttttca acaatcatgc ccatgtcaag tgtaaaacag gtttacctct cttaaataac 60
 cgtatttaaaa tgctgaatga tgtatatatg tgggttcaaa ttacataatt tgtaagtatg 120
 ttacacattg tataaatatg ttttagagaa aaatgtaaac ttatatgtct aaagttataa 180
 aagaaacatg tccaacacat ttcagttaag atttaaatag tataaattaa aaattatcga 240
 tgatgacaaa aaattgtaaa tataattcat tttaaaaaaa gttaagaaat tgaaaaagga 300
 aatatcgaga aaaaaatatg tcgattatat atatgtgtga gctgagtgaa tatatatgta 360
 tattttattt ttgactgaat atatgtgtgt atagacaata atgcgagaa tgccgatcga 420
 tgaattgttt actgcatttc caaatatgtg tgcataagcg ttccacatgt cacccatgtt 480
 gtaattagtt tcttccctgg atgaattact aagaaacaga ttgattgata gtactatatt 540
 aaattatgta gctttacatg tcaggaaaaat gtagttgcag tattatgtaa tgtaattaat 600
 aggaagtcac agacaatttg aagacaattt ctttagctta cctatctcat gccacaatta 660
 tgtacttacg acagtaaaat gtttaaaaagc aaaaaaaaaga aagaagaaga agaagtaata 720
 aatggaatta tatagaatgt actcctttgtc ttcatctgcc ctataattcc tgcagcagcc 780
 aaagcataat agcatgcaat atgcacatat tctgttttagg ctttttagcct ccacgatctg 840
 ttaatggaaa gtgaaaagta agagatatga agttcattat ggcagccatg gtcccaggga 900
 agcactagaa gatatgaaat gacataaaaag gtcaccatgc ataatgcttt aaatgcttgc 960
 tatagaatca aaaaaatgaag agatgtgaca aattgtttaca tctaatacgc aataatttga 1020
 caaagacgac tatgcgttta tatatttatt ttaattagtt ggcgtctctt attataaaga 1080
 aaataagggc agtgtcaaca tttccaggca actagttagt tattttattt tcttgtttat 1140
 aattatttcc atatagctag ctgtctctat ctaatccaaa tccgctttcc acaaccaact 1200
 tggctgcatt ggtccaaaaa actcaatc ataattttctg aaatagtttt agcattgttt 1260
 aggaagagaa ttgtaagaga taaaatctaa gtactccacc taccaagata aaatagttgg 1320
 ataaatgggt aaaaaaagt gtataaaggg caacactacc tctcctaata gcagtaccaa 1380
 aaccacaag 1388

<210> 9
 <211> 1373
 <212> DNA
 <213> Glycine max

<220>
 <221> promoter
 <222> (1)..(1172)
 <223> potential promoter region

<220>
 <221> misc_feature
 <222> (793)..(1172)
 <223> potential core region of promoter

<220>
 <221> TATA_signal
 <222> (1140)..(1145)
 <223> TATA signal

<220>
 <221> 5'UTR
 <222> (1173)..(1373)
 <223> 5' untranslated region

<400> 9
 cttttcaaca atcatgcccc tgtcaagtgt aaaacagggt tacctctctt aaataaccgt 60
 attaaaaatgc tgaatgatgt atatatgtgg gttcaaatta cataatttgt aagtatgtta 120
 cacattgtat aaatatgttt tagagaaaaa tgtaaaactta tatgtctaaa gttataaaaag 180
 aaacatgtcc aacacatttc agttaagatt taaatagtat aaattaaaaa ttatcgatga 240
 tgacaaaaaa ttgtaaatat aattcatttt aaaaaaagggt aagaaattga aaaaggaaat 300
 atcgagaaaa aaatatgtcg attatatata tgtgtgagct gagtgaatat atatgtatat 360
 tttatttttg actgaatata tgtgtgtata gacaataatg cgcagaatgc cgatcgatga 420
 attgtttact gcatttccaa atatgtgtgc ataagcgttc cacatgtcac ccatgttgta 480
 attagtttct tccctggatg aattactaag aaacagattg attgatagta ctatattaaa 540
 ttatgtagct ttacatgtca ggaaaatgta gttgcagtat tatgtaatgt aattaatagg 600
 aagtcacaga caatttgaag acaatttctt tagcttacct atctcatgcc acaattatgt 660
 acttacgaca gtaaaatggt taaaagcaaa aaaaagaaaag aagaagaaga agtaataaat 720
 ggaattatat agaatgtact ctttgtcttc atctgcccta taattcctgc agcagccaaa 780
 gcataatagc atgcaatatg cacatatctg ttttaggctt ttagcctcca cgatctgtta 840
 atggaaaatg aaaaagtaaga gatatgaagt tcattatggc agccatgggc ccaggggagc 900
 actagaagat atgaaatgac ataaaagggt accatgcata atgcttttaa tgcttgctat 960
 agaatcaaaa aatgaagaga tgtgacaaat tgttacatct aatacgcaat aatttgacaa 1020
 agacgactat gcgtttatat atttatttta attagttggc gtctcttatt ataaagaaaa 1080
 taagggcagt gtcaacattt ccaggcaact agttagttat tttattttct tgtttataat 1140
 tatttccata tagctagctg tctctatcta atccaaatcc gctttccaca accaacttgg 1200
 tcgcattggc ccaaaaaact caatatcaat attttcgaaa tagtttttagc attgtttagg 1260
 aagagaattg taagagataa aatctaagta ctccacctac caagataaaa tagttggata 1320
 aatgggtaaa aaaagttgta taaagggcaa cactacctct cctaattggca gta 1373

<210> 10
 <211> 1924
 <212> DNA
 <213> Artificial

<220>
 <223> Artificial construct of ptxA promoter and ubiquitin intron

<220>
 <221> promoter
 <222> (1)..(583)
 <223> potential promoter region

<220>
 <221> misc_feature
 <222> (300)..(583)
 <223> potential core region of promoter

<220>
 <221> TATA_signal

<222> (549)..(554)

<223> TATA signal

<220>

<221> 5'UTR

<222> (584)..(828)

<223> 5' untranslated region

<220>

<221> misc_feature

<222> (829)..(874)

<223> multiple cloning site

<220>

<221> Intron

<222> (875)..(1924)

<223> Zea mais ubiquitin intron

<400> 10

```

gcaatttttt gtgaagctga gggaggattg gatttttacac ctattcaaaa gtcattcaaa      60
gtttgtccct ccattcaagg atgaatgtag atttttcaag catcaaacac aagaatcact      120
agcataacat gctttgaaac ccacacactt aaattaatgt taggaatatc aaatccaata      180
taaaatcata gttgtcaatt acatactcaa tcaagtccct ttcttttacc caataaacat      240
caacatattg cttcttccat taagcatata aacatcaaa gctaaaaacta gcaaaatgtt      300
gttttttagga tgacacattt catacatagt ttaaaagata cttgattcga ttacaaaaag      360
aaattaccaa tagtttagca caaagtctaa agcataatta aagcatcaca tgtgcagatt      420
tatgaaaaaa agattaagat tgcccttttc atcacgggtc gaataatagc actacttgtc      480
actacatggt aaaaaaatgt cctctagtac atcaaaacttt ttccattgat tccccttacc      540
catgaaaaaa ataaacaaat tcttaagaca caaaaaaatg gcccacatc cttttttctg      600
gcctagtttg tttgaattca ttctaactct tgaatatgta acgaggccca ctaaaaatca      660
atcaatgatt taacataaaa aatgaatagt ttaattccaa tttgctgcaa catggtccgt      720
gaatatgact cacgagaaaag atatatcaaa atatcaaaat ttcatagttt ttttcaccat      780
ataaacctca tcactcattc tattttttta agtgcaaagc ttcatagtta attaaggcgc      840
gccaaagctg catgcctgca ggtcgactct agaggatctc ccccaaattc acccgtcggc      900
acctccgctt caaggtacgc cgctcgctct cccccccccc ccctctctac cttctctaga      960
tcggcgcttc ggtccatggt tagggcccg tagttctact tctgttcatg tttgtgttag     1020
atccgtgttt gtgttagatc cgtgctgcta gcgttcgtac acggatgcga cctgtacgtc     1080
agacacgttc tgattgctaa cttgccagtg tttctctttg gggaaatcctg ggatggctct     1140
agccgttccg cagacgggat cgatttcatg attttttttg tttcgttgca tagggtttg     1200
tttgcccttt tcctttattt caatatatgc cgtgcacttg tttgtcgggt catcttttca     1260
tgcttttttt tgtcttggtt gtgatgatgt ggtctggttg ggcggtcggt ctagatcgga     1320
gtagaattct gtttcaaact acctggtgga tttattaatt ttggatctgt atgtgtgtgc     1380
catacatatt catagttagc aattgaagat gatggatgga aatatcgatc taggatagg     1440
atacatgttg atgcgggttt tactgatgca tatacagaga tgctttttgt tcgcttggtt     1500
gtgatgatgt ggtgtggttg ggcggtcggt cattcggtct agatcggagt agaatactgt     1560
ttcaaactac ctggtgtatt tattaatttt ggaactgtat gtgtgtgtca tacatcttca     1620
tagttacgag tttaagatgg atggaaatat cgatctagga taggtataca tgttgatgtg     1680
ggttttactg atgcatatac atgatggcat atgcagcatc tattcatatg ctctaacctt     1740
gagtacctat ctattataat aaacaagtat gttttataat tattttgatc ttgatatact     1800
tggatgatgg catatgcagc agctatatgt ggattttttt agccctgcct tcatacgcta     1860
tttatttgct tgggtactgt tcttttgcgc atgctcaccg tgttggttg     1920
gcag                                     1924

```

<210> 11

<211> 23

<212> DNA

<213> Artificial

<220>

<223> oligonucleotide primer ptxA3'-2

<400> 11

tctagataaaa ctatgaagct ttg

23

<210> 12

<211> 22

<212> DNA

<213> Artificial

<220>

<223> oligonucleotide primer

<400> 12

ccgcttcgaa accaatgcct aa

22

<210> 13

<211> 24

<212> DNA

<213> Artificial

<220>

<223> oligonucleotide primer

<400> 13

tggtcgtcat gaagatgcgg actt

24

<210> 14

<211> 20

<212> DNA

<213> Artificial

<220>

<223> Oligonucleotide primer ptxaF1

<400> 14

gggccaagga catagtagaa

20

<210> 15

<211> 20

<212> DNA

<213> Artificial

<220>

<223> Oligonucleotide primer ptxaR1

<400> 15

tgaagttaca aacgctgaca

20

<210> 16

<211> 20

<212> DNA

<213> Artificial

<220>
 <223> Oligonucleotide primer ptxaR1

 <400> 16
 agagcatcac acgcaatcaa 20

 <210> 17
 <211> 20
 <212> DNA
 <213> Artificial

 <220>
 <223> Oligonucleotide primer SbHRGP3-F1

 <400> 17
 catgtgcgcg tactttttgta 20

 <210> 18
 <211> 20
 <212> DNA
 <213> Artificial

 <220>
 <223> Oligonucleotide primer SbHRGP3-F1

 <400> 18
 atgaagaata taagccaata 20

 <210> 19
 <211> 20
 <212> DNA
 <213> Artificial

 <220>
 <223> Oligonucleotide primer SbHRGP3-R1

 <400> 19
 agtgccatac aactgtctaa 20